



New shapes, new lines, but always with IVECO quality.

The new products feature new shapes, new lines and new colours, all to allow for greater customisation. We have expanded our offer to include chrome-plated and polished black bars, with or without LED lighting.

Competitively priced.

· Easy assembly.

Most models do not require drilling into the roof panel. Existing holes can be used and the bar anchored onto the sun blind. Lamp assembly is also easier. Thanks to the pre-drilled mounting bar included in the pack, 4 lamps can be installed in just 6 minutes (excluding wiring).

• Types and dimensions of pre-drilled mounting bars.

The maximum number of lamps that can be installed on roof bars depends on the length of the pre-drilled mounting bar.

- TYPE I: length of the pre-drilled mounting bar 160 cm or 142 cm (included in the pack).
- TYPE 2: the length of the pre-drilled mounting bar 126 cm (included in the pack).
- TYPE 3: the length of the pre-drilled mounting bar 102 cm (included in the pack).

· Lamps.

The type and specifications of each lamp to be fitted can be found on the following pages. Each pack contains one lamp. Pay careful attention to the maximum number of lamps that can be mounted on each bar.

Twelve available bar types.

The new IVECO bars are designed to enhance your style and can be fitted on all IVECO heavy vehicles from MY19 onwards. They are manufactured using 1.6 mm thick AISI 304 stainless steel and are available in chrome-plated or polished black powder-coated versions, with or without LEDs. Choose the most suitable one for your needs and complete it with the lamps of your choice.





Go to the lamp selection Continue with the bar selection























Choose this classic version of the H-XXL bar, or the one with LED lighting in the structure.



Choose this classic version of the H-XXL bar, or the one with LED lighting in the structure.




Choose this version of the H-XXL bar with LED lighting in the structure, or the classic version without LED lighting.




Choose this version of the H-XXL bar with LED lighting in the structure, or the classic version without LED lighting.




Choose this classic version of the H-XL bar, or the one with LED lighting in the structure.




Choose this classic version of the H-XL bar, or the one with LED lighting in the structure.



Choose this version of the H-XL bar with LED lighting in the structure, or the classic version without LED lighting.



Choose this version of the H-XL bar with LED lighting in the structure, or the classic version without LED lighting.




Choose this chrome-plated version of the BAR ANCHORED TO THE SUN VISOR, or the polished black powder-coated version.




Choose this polished black powder-coated version of the BAR ANCHORED TO THE SUN VISOR, or the chrome-plated version.




Choose this classic version of the XL HEADLIGHT MOUNT bar, or the one with LED lighting in the structure.




Choose this classic version of the XL HEADLIGHT MOUNT bar, or the one with LED lighting in the structure.



Choose this version of the XL HEADLIGHT MOUNT bar with LED lighting in the structure, or the classic version without LED lighting.



Choose this version of the XL HEADLIGHT MOUNT bar with LED lighting in the structure, or the classic version without LED lighting.




Choose this classic version of the BAR MOUNTED ABOVE THE SUN VISOR, or the one with LED lighting in the structure.




Choose this classic version of the BAR MOUNTED ABOVE THE SUN VISOR, or the one with LED lighting in the structure.



Choose this version of the BAR MOUNTED ABOVE THE SUN VISOR with LED lighting in the structure, or the classic version without LED lighting.



Choose this version of the BAR MOUNTED ABOVE THE SUN VISOR with LED lighting in the structure, or the classic version without LED lighting.




Choose this classic version of the BAR MOUNTED ABOVE THE SUN VISOR, or the one with LED lighting in the structure.




Choose this classic version of the BAR MOUNTED ABOVE THE SUN VISOR, or the one with LED lighting in the structure.




Choose this version of the BAR MOUNTED ABOVE THE SUN VISOR with LED lighting in the structure, or the classic version without LED lighting.




Choose this version of the BAR MOUNTED ABOVE THE SUN VISOR with LED lighting in the structure, or the classic version without LED lighting.




Choose this chrome-plated version of the TURBOSTAR HEADLIGHT MOUNT bar, or the polished black powder-coated version.




Choose this polished black powder-coated version of the TURBOSTAR HEADLIGHT MOUNT bar, or the chrome-plated version.




Choose this chrome-plated version of the LICENSE PLATE MOUNT bar, or the polished black powder-coated version.




Choose this polished black powder-coated version of the LICENSE PLATE MOUNT bar, or the chrome-plated version.




Choose this classic version of the HORN-SHAPED BUMPER BAR, or the one with LED lighting in the structure.




Choose this classic version of the HORN-SHAPED BUMPER BAR, or the one with LED lighting in the structure.



Choose this version of the HORN-SHAPED BUMPER BAR with LED lighting in the structure, or the classic version without LED lighting.



Choose this version of the HORN-SHAPED BUMPER BAR with LED lighting in the structure, or the classic version without LED lighting.




Choose this classic version of the 3-PIECE BUMPER KIT, or the one with LED lighting in the structure.




Choose this classic version of the 3-PIECE BUMPER KIT, or the one with LED lighting in the structure.




Choose this version of the 3-PIECE BUMPER KIT with LED lighting in the structure, or the classic version without LED lighting.




Choose this version of the 3-PIECE BUMPER KIT with LED lighting in the structure, or the classic version without LED lighting.



Choose this chrome-plated version of the HIGH BUMPER BAR, or the polished black powder-coated version.



Choose this polished black powder-coated version of the HIGH BUMPER BAR, or the chrome-plated version.



Choose this classic version of the SKIRT KIT, or the one with LED lighting in the structure.



Choose this classic version of the SKIRT KIT, or the one with LED lighting in the structure.




Choose this version of the SKIRT KIT with LED lighting in the structure, or the classic version without LED lighting.




Choose this version of the SKIRT KIT with LED lighting in the structure, or the classic version without LED lighting.



Choose this chrome-plated version of the SPOILER RETRO KIT with LED lighting in the structure, or the polished black powder-coated version.



Choose this polished black powder-coated version of the SPOILER RETRO KIT with LED lighting in the structure, or the chrome-plated version.



Twenty-five lamp types available.

A maximum of two, three, four or six lamps can be mounted on the bar you have chosen, depending on the type of lamp and bar. Choose the model you prefer.






















Return to the previous page

Return to the bar selection

is even more personal to you!

PN 500050268

TYPE I bar, H-XXL AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions I5II mm x 2733 mm, with chrome-plated finish. Allows up to two, four or six lamps to be mounted depending on the type of lamp chosen.



Print summary

Add the lamps

is even more personal to you!

PN 500050285

TYPE I bar, H-XXL AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions I5II mm x 2733 mm, with polished black powder-coated finish. Allows up to two, four or six lamps to be mounted depending on the type of lamp chosen.




Print summary

Add the lamps

is even more personal to you!

PN 500050644

TYPE I bar, H-XXL AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions I5II mm × 2733 mm, with chrome-plated finish and LED inserts in the structure. Allows up to two, four or six lamps to be mounted depending on the type of lamp chosen.




Print summary

Add the lamps

is even more personal to you!

PN 500050654

TYPE I bar, H-XXL AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions I5II mm x 2733 mm, with polished black powder-coated finish and LED inserts in the structure. Allows up to two, four or six lamps to be mounted depending on the type of lamp chosen.



Print summary

Add the lamps

is even more personal to you!

PN 500050269

TYPE I bar, H-XL AISI 304 stainless steel, thickness 1.6 mm, diameter 60.3 mm, dimensions 1511 mm × 2733 mm, with chrome-plated finish. Allows up to two, four or six lamps to be mounted depending on the type of lamp chosen.

You have chosen this product:



Print summary

Add the lamps

is even more personal to you!

PN 500050286

TYPE I bar, H-XL AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions I5II mm x 2733 mm, with polished black powder-coated finish. Allows up to two, four or six lamps to be mounted depending on the type of lamp chosen.





Print summary

Add the lamps

is even more personal to you!

PN 500050647

TYPE I bar, H-XL AISI 304 stainless steel, thickness 1.6 mm, diameter 60.3 mm, dimensions 1511 mm × 2733 mm, with chrome-plated finish and LED inserts in the structure. Allows up to two, four or six lamps to be mounted depending on the type of lamp chosen.

You have chosen this product:



Print summary

Add the lamps

is even more personal to you!

PN 500050655

TYPE I bar, H-XL AISI 304 stainless steel, thickness 1.6 mm, diameter 60.3 mm, dimensions 1511 mm x 2733 mm, with polished black powder-coated finish and LED inserts in the structure. Allows up to two, four or six lamps to be mounted depending on the type of lamp chosen.

You have chosen this product:



Print summary

Add the lamps

is even more personal to you!



Print summary

Add the lamps

is even more personal to you!

PN 500050287

TYPE 2 bar, BAR ANCHORED TO THE SUN VISOR AISI 304 stainless steel, thickness 1.6 mm, diameter 60.3 mm, dimensions 2160 mm x 300 mm, with polished black powder-coated finish. Allows up to two, three or four lamps to be mounted depending on the type of lamp chosen.

You have chosen this product:



Print summary

Add the lamps

is even more personal to you!

PN 500050272

TYPE I bar, XL HEADLIGHT MOUNT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions I630 mm x I210 mm, with chrome-plated finish. Allows up to two, four or six lamps to be mounted depending on the type of lamp chosen.



Print summary

Add the lamps

is even more personal to you!

PN 500050309

TYPE I bar, XL HEADLIGHT MOUNT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions I630 mm x I210 mm, with polished black powder-coated finish. Allows up to two, four or six lamps to be mounted depending on the type of lamp chosen.



Print summary

Add the lamps

Choose another bar

You have chosen this product:

is even more personal to you!

PN 500050650

TYPE I bar, XL HEADLIGHT MOUNT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions I630 mm x I210 mm, with chrome-plated finish and LED inserts in the structure. Allows up to two, four or six lamps to be mounted depending on the type of lamp chosen.



Print summary

Add the lamps

Choose another bar

You have chosen this product:

is even more personal to you!

PN 500050657

TYPE I bar, XL HEADLIGHT MOUNT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions I630 mm x I210 mm, with polished black powder-coated finish and LED inserts in the structure. Allows up to two, four or six lamps to be mounted depending on the type of lamp chosen.



Print summary

Add the lamps

Choose another bar

You have chosen this product:

is even more personal to you!



Print summary

is even more personal to you!



Print summary

is even more personal to you!



Print summary

is even more personal to you!



Print summary

is even more personal to you!



Print summary

Add the lamps

is even more personal to you!



Print summary

Add the lamps

is even more personal to you!



Print summary

Add the lamps

is even more personal to you!




Print summary

Add the lamps

is even more personal to you!

PN 500050612

TYPE I bar, TURBOSTAR HEADLIGHT MOUNT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions 1900 mm x 570 mm, with chrome-plated finish. Allows up to two, three or four lamps to be mounted depending on the type of lamp chosen.



Print summary

Add the lamps


Choose another bar

You have chosen this product:

is even more personal to you!

PN 500050701

TYPE I bar, TURBOSTAR HEADLIGHT MOUNT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions I900 mm x 570 mm, with polished black powder-coated finish. Allows up to two, three or four lamps to be mounted depending on the type of lamp chosen.



Print summary

Add the lamps

is even more personal to you!

PN 500050278

Bar model LICENSE PLATE MOUNT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions 536 mm x I73 mm, with chrome-plated finish. Does not allow lamps to be mounted.



Print summary

is even more personal to you!

PN 500050313

Bar model LICENSE PLATE MOUNT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions 536 mm x I73 mm, with polished black powder-coated finish. Does not allow lamps to be mounted.



Print summary

is even more personal to you!

PN 500050273

Bar model HORN-SHAPED BUMPER BAR AlSI 304 stainless steel, thickness 1.6 mm, diameter 60.3 mm, dimensions 2429 mm × 550 mm, with chrome-plated finish. Does not allow lamps to be mounted.



Print summary

is even more personal to you!

PN 500050310

Bar model HORN-SHAPED BUMPER BAR AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions 2429 mm x 550 mm, with polished black powder-coated finish. Does not allow lamps to be mounted.



Print summary

is even more personal to you!

PN 500050651

Bar model HORN-SHAPED BUMPER BAR AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions 2429 mm × 550 mm, with chrome-plated finish and LED inserts in the structure. Does not allow lamps to be mounted.



Print summary

is even more personal to you!

PN 500050658

Bar model HORN-SHAPED BUMPER BAR AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions 2429 mm × 550 mm, with polished black powder-coated finish and LED inserts in the structure. Does not allow lamps to be mounted.



Print summary

is even more personal to you!

PN 500050274

Bar model 3-PIECE BUMPER KIT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, central piece measures II80 mm x 406 mm, side pieces measures 739 mm x 669 mm, with chrome-plated finish. Does not allow lamps to be mounted.



Print summary

is even more personal to you!

PN 500050311

Bar model 3-PIECE BUMPER KIT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, central piece measures II80 mm x 406 mm, side pieces measures 739 mm x 669 mm, with polished black powder-coated finish. Does not allow lamps to be mounted.



Print summary

is even more personal to you!

PN 500050652

Bar model 3-PIECE BUMPER KIT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, central piece measures II80 mm x 406 mm, side pieces measures 739 mm x 669 mm, with chrome-plated finish and LED inserts in the structure. Does not allow lamps to be mounted.



Print summary

is even more personal to you!

PN 500050659

Bar model 3-PIECE BUMPER KIT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, central piece measures I180 mm x 406 mm, side pieces measures 739 mm x 669 mm, with polished black powder-coated finish and LED inserts in the structure. Does not allow lamps to be mounted.



Print summary

is even more personal to you!

PN 500050277

Bar model HIGH BUMPER BAR AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions 2428 mm x 930 mm, with chrome-plated finish. Does not allow lamps to be mounted.



Print summary

is even more personal to you!

PN 500050312

Bar model HIGH BUMPER BAR AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions 2428 mm x 930 mm, with polished black powder-coated finish. Does not allow lamps to be mounted.




Print summary

is even more personal to you!

PN 500050283

Bar model SKIRT KIT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions 2450 mm / wheelbase 3800 mm, with chrome-plated finish. Does not allow lamps to be mounted.




Print summary

is even more personal to you!

PN 500050314

Bar model SKIRT KIT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions 2450 mm / wheelbase 3800 mm, with polished black powder-coated finish. Does not allow lamps to be mounted.




Print summary

is even more personal to you!

PN 500050653

Bar model SKIRT KIT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions 2450 mm / wheelbase 3800 mm, with chrome-plated finish and LED inserts in the structure. Does not allow lamps to be mounted.



Print summary

is even more personal to you!

PN 500050660

Bar model SKIRT KIT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions 2450 mm / wheelbase 3800 mm, with polished black powder-coated finish and LED inserts in the structure. Does not allow lamps to be mounted.




Print summary

is even more personal to you!

PN 500050284

Bar model SPOILER RETRO KIT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions 2800 mm \times 2800 mm, with chrome-plated finish and LED inserts in the structure. Does not allow lamps to be mounted.




Print summary

is even more personal to you!

PN 500050365

Bar model SPOILER RETRO KIT AISI 304 stainless steel, thickness I.6 mm, diameter 60.3 mm, dimensions 2800 mm × 2080 mm × 2800 mm, with polished black powder-coated finish and LED inserts in the structure. Does not allow lamps to be mounted.





Print summary

is even more personal to you!

PN 500051164

Spotlight, Luminator LED, power supply 12/24 V, mark 25. A maximum of 6 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), and a maximum of 4 on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).



You have chosen this product:

Print summary

is even more personal to you!

PN 500051172

Spotlight, Rallye 3003 Celis hybrid, power supply 12/24 V, mark 17.5. A maximum of 6 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), and a maximum of 4 on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).



Print summary

is even more personal to you!

PN 500050664

LED Lamp, power supply 12/24 V, 1200 lm, mark 25. A maximum of 6 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), and a maximum of 4 on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).



You have chosen this product:

Print summary

is even more personal to you!

PN 500051168

Spotlight, Luminator Chromium FF/Hybrid, power supply I2/24 V. A maximum of 6 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), and a maximum of 4 on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).



Print summary

is even more personal to you!

PN 500051167

Spotlight, Luminator Chromium FF/Halogen, power supply 12/24 V, mark 37.5. A maximum of 6 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), and a maximum of 4 on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).



You have chosen this product:

Print summary

is even more personal to you!

PN 500050122

LED Light, power supply 10/30 V, 2400 lm, 6 LED. A maximum of 6 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), and a maximum of 4 on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and a maximum of 3 on the **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).



Print summary

Choose another lamp

You have chosen this product:

is even more personal to you!

PN 500051165

Spotlight, Luminator LED, power supply 12/24 V, mark 25. A maximum of 6 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), and a maximum of 4 on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).




Print summary

is even more personal to you!

PN 500051171

Spotlight, Rallye 3003 FF/Hybrid, power supply I2/24 V, mark 25. A maximum of 6 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), and a maximum of 4 on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).



Print summary

is even more personal to you!

PN 500051174

Spotlight, Jumbo 320 FF/Halogen, power supply 12/24 V, mark 37.5. A maximum of 6 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), and a maximum of 4 on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).

You have chosen this product:



Print summary

is even more personal to you!

PN 500051170

Spotlight, Rallye 3003 FF/Halogen, power supply 12/24 V, mark 37.5. A maximum of 6 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), and a maximum of 4 on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).




You have chosen this product:

Print summary

is even more personal to you!

PN 500051166

Spotlight, Luminator Chromium Celis Hybrid, power supply 12/24 V, mark 17.5. A maximum of 6 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), and a maximum of 4 on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).



Print summary

is even more personal to you!

PN 500051173

Spotlight, Jumbo LED, power supply 12/24 V, mark 25. A maximum of 6 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), and a maximum of 4 on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).

You have chosen this product:



Print summary

is even more personal to you!

PN 500051169

Spotlight, Rallye 3003 LED, power supply I2/24 V, mark 25. A maximum of 6 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), and a maximum of 4 on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).



You have chosen this product:

Print summary

is even more personal to you!

PN 500050662

LED Lamp, power supply 12/24 V, 700 lm, mark 25. A maximum of 6 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), and a maximum of 4 on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).

You have chosen this product:



Print summary

is even more personal to you!

PN 500050666

Spotlight, power supply 12/24 V, 10500 actual lumens, mark 45. A maximum of 6 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), and a maximum of 4 on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).

You have chosen this product:



Print summary

is even more personal to you!

PN 500050667

Spotlight, power supply 12/24 V, 3294 actual lumens, mark 45. A maximum of 4 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), and a maximum of 3 on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).

You have chosen this product:



Print summary

is even more personal to you!

PN 500050120

LED bar, power supply 10/30 V - 40 W, 4000/5000 lm, 6 LED. A maximum of 4 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), and a maximum of 3 on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and a maximum of 2 on the **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).

You have chosen this product:



Print summary

is even more personal to you!

PN 500050694

Spotlight, power supply 12/24 V, 5911 actual lumens, mark 45. A maximum of 2 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).

You have chosen this product:



Print summary

is even more personal to you!

PN 500050675

Spotlight, power supply 12/24 V, 6316 actual lumens, mark 45. A maximum of 2 can be mounted on the **TYPE I** bars (H-XXL, H-XL, XL HEADLIGHT MOUNTS and TURBOSTAR HEADLIGHT MOUNT), on the **TYPE 2** bars (BARS ANCHORED TO THE SUN VISOR), and **TYPE 3** bars (BARS MOUNTED ABOVE THE SUN VISOR).

You have chosen this product:



Print summary

is even more personal to you!



Print summary

is even more personal to you!

PN 500051177

Flashing identification light, K-LED 2.0 F, power supply 12/24 V, yellow. For all bar types, it is recommended that a maximum of 2 are mounted.



Print summary

Choose another lamp

You have chosen this product:

is even more personal to you!

PN 500051178

Flashing identification light, K-LED Blizzard, power supply 12/24 V. For all bar types, it is recommended that a maximum of 2 are mounted.

You have chosen this product:



Print summary

is even more personal to you!



Print summary

is even more personal to you!

PN 500051176

Halogen rotating beacon, KL 7000, power supply 24 V. For all bar types, it is recommended that a maximum of 2 are mounted.



You have chosen this product:

Print summary

is even more personal to you!



Print summary



PUBLICATION H2432901MASTER - 04/24